

# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • [WWW.HARRISONPLASTIC.COM](http://WWW.HARRISONPLASTIC.COM)

## HARRISON SUPERDUCT® PVC DUCT SYSTEMS

### DIMENSION CATALOG

2025





# HARRISON

## Harrison Machine and Plastic Corporation



11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

<b>Description</b>	<b>Page No.</b>
HARRISON SUPERDUCT® PVC DUCT PIPE X 10FT	3
HARRISON SUPERDUCT® PVC DUCT PIPE X 20FT	4
FABRICATED PVC DUCT PIPE - PLAIN END	5
FABRICATED PVC DUCT PIPE - SOCKET END	6
45° ELBOW 2 PIECE	7
45° ELBOW 3 PIECE	8
90° ELBOW 3 PIECE	9
90° ELBOW 5 PIECE	10
SS HANGERS	11
HOSE ADAPTER (SOCKET X HOSE)	12
HOSE ADAPTER (PLAIN END X HOSE)	13
BUTTERFLY DAMPER	14
ACTUATED BUTTERFLY DAMPER	15
BLASTGATE	16
BLIND FLANGE	17
CAP	18
COUPLING	19
FLEXIBLE COUPLING	20
FLEXIBLE DUCT	21
GASKETS	22
HOODS	23
RAINSKIRT	24
REDUCER COUPLING	25
ROLLED REDUCER COUPLING	26-28
ROOF FLASHINGS	29
SOCKET FLANGE DUCT DRILLING	30
SOCKET FLANGE 150# DRILLING	31
STYLE A	32
STYLE B	33
TEE	34-35
TRANSITIONS	36
TRUE WYE	37
VERTICAL BACKDRAFT DAMPER	38
WYE	39-43




# HARRISON

Harrison Machine and Plastic Corporation



11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM



## HARRISON SUPERDUCT® PVC DUCT PIPE (10FT)

Part No.	Size	(O.D.)	(I.D.)	Wall	Wt/Ft.	Standard Length
	Extruded					
1033-PP1-02	2"	2.375"	2.047"	0.154"	0.720	10 ft.
1033-PP1-03	3"	3.500"	3.042"	0.216"	1.488	10 ft.
1033-PP1-04	4"	4.500"	4.134"	0.173"	1.569	10 ft.
1033-PP1-05	5"	5.563"	5.016"	0.258"	2.874	10 ft.
1033-PP1-06	6"	6.625"	6.250"	0.187"	2.340	10 ft.
1033-PP1-07	7"	7.375"	7.000"	0.187"	2.534	10 ft.
1033-PP1-08	8"	8.625"	8.250"	0.187"	3.060	10 ft.
1033-PP1-09	9"	9.375"	9.000"	0.187"	3.239	10 ft.
1033-PP1-10	10"	10.750"	10.380"	0.187"	3.830	10 ft.
1033-PP1-11	11"	11.375"	11.000"	0.187"	3.944	10 ft.
1033-PP1-12	12"	12.750"	12.380"	0.187"	4.560	10 ft.
1033-PP1-14	14"	14.000"	13.630"	0.187"	5.010	10 ft.
1033-PP1-16	16"	16.000"	15.630"	0.187"	5.740	10 ft.
1033-PP1-18	18"	18.000"	17.630"	0.187"	6.460	10 ft.
1033-PP1-20	20"	20.000"	19.500"	0.219"	9.580	10 ft.
1033-PP1-24	24"	24.000"	23.500"	0.250"	11.520	10 ft.

Duct diameter thru 60" available. Contact factory for details.




# HARRISON

Harrison Machine and Plastic Corporation



11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM



## HARRISON SUPERDUCT® PVC DUCT PIPE (20FT)

Part No.	Size	(O.D.)	(I.D.)	Wall	Wt/Ft.	Standard Length
	Extruded					
1033-PP2-02	2"	2.375"	2.047"	0.154"	0.720	20 ft.
1033-PP2-03	3"	3.500"	3.042"	0.216"	1.488	20 ft.
1033-PP2-04	4"	4.500"	4.134"	0.173"	1.569	20 ft.
1033-PP2-05	5"	5.563"	5.016"	0.258"	2.874	20 ft.
1033-PP2-06	6"	6.625"	6.250"	0.187"	2.340	20 ft.
1033-PP2-07	7"	7.375"	7.000"	0.187"	2.534	20 ft.
1033-PP2-08	8"	8.625"	8.250"	0.187"	3.060	20 ft.
1033-PP2-09	9"	9.375"	9.000"	0.187"	3.239	20 ft.
1033-PP2-10	10"	10.750"	10.380"	0.187"	3.830	20 ft.
1033-PP2-11	11"	11.375"	11.000"	0.187"	3.944	20 ft.
1033-PP2-12	12"	12.750"	12.380"	0.187"	4.560	20 ft.
1033-PP2-14	14"	14.000"	13.630"	0.187"	5.010	20 ft.
1033-PP2-16	16"	16.000"	15.630"	0.187"	5.740	20 ft.
1033-PP2-18	18"	18.000"	17.630"	0.187"	6.460	20 ft.
1033-PP2-20	20"	20.000"	19.500"	0.219"	9.580	20 ft.
1033-PP2-24	24"	24.000"	23.500"	0.250"	11.520	20 ft.


Duct diameter thru 60" available. Contact factory for details.



# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM



## FABRICATED PVC DUCT PIPE


Part No.	Size	(O.D.)	(I.D.)	Wall	Approx. Wt/Ft.	Standard Length
	Fabricated	A				B
1033-PP4-22	22"	22.000"	21.626"	0.187"	8.125	4 FT Plain End
1033-PP4-26	26"	26.000"	25.626"	0.187"	9.600	4 FT Plain End
1033-PP4-28	28"	28.000"	27.626"	0.187"	10.330	4 FT Plain End
1033-PP4-30	30"	30.000"	29.626"	0.187"	11.250	4 FT Plain End
1033-PP4-32	32"	32.000"	31.500"	0.250"	15.900	4 FT Plain End
1033-PP4-34	34"	34.000"	33.500"	0.250"	16.900	4 FT Plain End
1033-PP4-36	36"	36.000"	35.500"	0.250"	17.900	4 FT Plain End
1033-PP4-38	38"	38.000"	37.500"	0.250"	18.860	4 FT Plain End
1033-PP4-40	40"	40.000"	39.500"	0.250"	19.890	4 FT Plain End
1033-PP4-42	42"	42.000"	41.500"	0.250"	20.880	4 FT Plain End
1033-PP4-44	44"	44.000"	43.500"	0.250"	21.880	4 FT Plain End
1033-PP4-46	46"	46.000"	45.500"	0.250"	22.870	4 FT Plain End
1033-PP4-48	48"	48.000"	47.500"	0.250"	23.860	4 FT Plain End
1033-PP4-50	50"	50.000"	49.500"	0.250"	24.860	4 FT Plain End
1033-PP4-52	52"	52.000"	51.500"	0.250"	25.850	4 FT Plain End
1033-PP4-60	60"	60.000"	59.250"	0.375"	44.120	4 FT Plain End



# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM



## FABRICATED PVC DUCT PIPE

Part No.	Size	(O.D.)	(I.D.)	Wall	Approx. Wt/Ft.	Standard Length
	Fabricated	A				B
1034-PP4-22	22"	22.000"	21.626"	0.187"	8.875	4 FT w/Coupling
1034-PP4-26	26"	26.000"	25.626"	0.187"	10.500	4 FT w/Coupling
1034-PP4-28	28"	28.000"	27.626"	0.187"	11.310	4 FT w/Coupling
1034-PP4-30	30"	30.000"	29.626"	0.187"	12.000	4 FT w/Coupling
1034-PP4-32	32"	32.000"	31.500"	0.250"	17.410	4 FT w/Coupling
1034-PP4-34	34"	34.000"	33.500"	0.250"	18.490	4 FT w/Coupling
1034-PP4-36	36"	36.000"	35.500"	0.250"	19.580	4 FT w/Coupling
1034-PP4-38	38"	38.000"	37.500"	0.250"	20.640	4 FT w/Coupling
1034-PP4-40	40"	40.000"	39.500"	0.250"	21.760	4 FT w/Coupling
1034-PP4-42	42"	42.000"	41.500"	0.250"	22.840	4 FT w/Coupling
1034-PP4-44	44"	44.000"	43.500"	0.250"	23.930	4 FT w/Coupling
1034-PP4-46	46"	46.000"	45.500"	0.250"	25.010	4 FT w/Coupling
1034-PP4-48	48"	48.000"	47.500"	0.250"	26.110	4 FT w/Coupling
1034-PP4-50	50"	50.000"	49.500"	0.250"	27.190	4 FT w/Coupling
1034-PP4-52	52"	52.000"	51.500"	0.250"	28.280	4 FT w/Coupling
1034-PP4-60	60"	60.000"	59.250"	0.375"	51.240	4 FT w/Coupling




# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## 45° Elbow Belled (2 piece)

Part No.	Size	A	Approx. Wgt (lbs.)
1034-45-02	2"	2.750"	1
1034-45-03	3"	4.688"	1
1034-45-04	4"	4.875"	2
1034-45-05	5"	4.906"	3
1034-45-06	6"	5.125"	3
1034-45-07	7"	5.250"	3
1034-45-08	8"	5.623"	3
1034-45-09	9"	5.750"	4
1034-45-10	10"	6.000"	4
1034-45-11	11"	5.938"	5
1034-45-12	12"	6.375"	6
1034-45-14	14"	6.625"	7
1034-45-16	16"	7.313"	7
1034-45-18	18"	7.750"	11
1034-45-20	20"	8.875"	15
1034-45-22	22"	11.367"	19
1034-45-24	24"	9.750"	20
1034-45-26	26"	13.024"	26
1034-45-28	28"	13.852"	28
1034-45-30	30"	14.681"	32
1034-45-32	32"	15.509"	48
1034-45-34	34"	16.338"	52
1034-45-36	36"	17.166"	59
1034-45-38	38"	17.990"	64
1034-45-40	40"	18.823"	72
1034-45-42	42"	19.652"	77
1034-45-44	44"	20.475"	83
1034-45-60	60"	27.103"	217





# HARRISON


Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## 45° Elbow

### Belled (3 piece) 1.5x Dia

Part No.	Size	A	B	Approx. Wgt.
1034-453-03	3"	3.125"	2.000"	1
1034-453-04	4"	3.250"	2.375"	1
1034-453-05	5"	4.000"	3.312"	3
1034-453-06	6"	3.750"	3.500"	2
1034-453-07	7"	3.937"	4.187"	3
1034-453-08	8"	4.375"	4.750"	3
1034-453-09	9"	4.250"	5.12"	4
1034-453-10	10"	5.250"	6.000"	6
1034-453-11	11"	5.375"	6.500"	7
1034-453-12	12"	5.812"	7.125"	7
1034-453-14	14"	6.187"	8.375"	9
1034-453-16	16"	7.000"	9.500"	11
1034-453-18	18"	7.625"	10.750"	14
1034-453-20	20"	8.750"	12.000"	24
1034-453-22	22"	11.750"	13.000"	27
1034-453-24	24"	9.875"	14.250"	33
1034-453-26	26"	10.000"	15.500"	36
1034-453-28	28"	10.500"	16.500"	41
1034-453-30	30"	11.250"	18.000"	46
1034-453-32	32"	11.750"	19.000"	69
1034-453-34	34"	12.250"	20.000"	76
1034-453-36	36"	13.000"	21.500"	85
1034-453-38	38"	13.250"	22.500"	92
1034-453-40	40"	14.125"	23.000"	101
1034-453-42	42"	14.750"	25.000"	111
1034-453-44	44"	15.375"	26.250"	120






# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## 90° Elbow Belled (3 piece)

Part No.	Size	A	Approx. Wgt (lbs.)
1034-90-02	2"	6.993"	1
1034-90-03	3"	9.328"	2
1034-90-04	4"	9.781"	3
1034-90-05	5"	10.165"	5
1034-90-06	6"	10.693"	5
1034-90-07	7"	10.995"	5
1034-90-08	8"	11.661"	6
1034-90-09	9"	12.070"	6
1034-90-10	10"	14.839"	8
1034-90-11	11"	15.185"	9
1034-90-12	12"	15.788"	11
1034-90-14	14"	16.392"	12
1034-90-16	16"	18.000"	18
1034-90-18	18"	19.064"	24
1034-90-20	20"	21.780"	32
1034-90-22	22"	24.250"	31
1034-90-24	24"	23.892"	41
1034-90-26	26"	28.250"	43
1034-90-28	28"	30.250"	48
1034-90-30	30"	32.250"	55
1034-90-32	32"	34.250"	83
1034-90-34	34"	36.250"	92
1034-90-36	36"	38.250"	104
1034-90-38	38"	40.250"	114
1034-90-40	40"	42.250"	124
1034-90-42	42"	44.250"	138
1034-90-44	44"	46.250"	149
1034-90-60	60"	62.250"	400






# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## 90° Elbow Belled (5 piece) 1.5x Dia

Part No.	Size	A	Approx. Wgt. (Lbs)
1034-905-03	3"	7.308"	2
1034-905-04	4"	8.088"	2
1034-905-05	5"	10.712"	5
1034-905-06	6"	10.979"	4
1034-905-07	7"	12.370"	4
1034-905-08	8"	13.940"	6
1034-905-09	9"	14.948"	7
1034-905-10	10"	17.582"	9
1034-905-11	11"	18.464"	10
1034-905-12	12"	20.160"	12
1034-905-14	14"	23.052"	15
1034-905-16	16"	26.130"	21
1034-905-18	18"	29.272"	26
1034-905-20	20"	32.914"	43
1034-905-22	22"	35.179"	45
1034-905-24	24"	38.570"	60
1034-905-26	26"	41.212"	58
1034-905-28	28"	44.228"	65
1034-905-30	30"	47.496"	75
1034-905-32	32"	50.010"	113
1034-905-34	34"	53.152"	125
1034-905-36	36"	56.294"	143
1034-905-38	38"	59.248"	156
1034-905-40	40"	62.201"	172
1034-905-42	42"	65.092"	190
1034-905-44	44"	68.234"	208
1034-905-60	60"	92.240"	561





# HARRISON


Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## PIPE HANGERS 304 STAINLESS STEEL

Part No.	Size	DIA	APPROX. WGT. (LBS)
PH-04	4"	4.500"	1
PH-06	6"	6.625"	1
PH-08	8"	8.625"	1
PH-10	10"	10.750"	1
PH-12	12"	12.750"	1
PH-14	14"	14.000"	1
PH-16	16"	16.000"	2
PH-18	18"	18.000"	2
PH-20	20"	20.000"	4
PH-24	24"	24.000"	5

CONTACT FACTORY FOR SIZES NOT SHOWN






# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## Flex Hose Adapter Hose Spigot x Duct Bell

Part No.	Size	Bell	A	Approx. Wgt (lbs.)
	O.D. (Hose)	Socket (Duct)		
1034-FHA-02	2"	2.375"	5.500"	1
1034-FHA-03	3"	3.500"	6.000"	1
1034-FHA-04	4"	4.500"	7.000"	2
1034-FHA-05	5"	5.563"	7.000"	2
1034-FHA-06	6"	6.625"	7.500"	2
1034-FHA-08	8"	8.625"	9.000"	3
1034-FHA-10	10"	10.750"	9.000"	3
1034-FHA-12	12"	12.750"	9.000"	4
1034-FHA-14	14"	14.000"	8.000"	4
1034-FHA-16	16"	16.000"	8.000"	4
1034-FHA-18	18"	18.000"	8.000"	5






# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## Flex Hose Adapter Hose Spigot x Duct Spigot


Part No.	Size	Spigot	A	Approx. Wgt (lbs.)
	O.D. (Hose)	P.E. (Duct)		
1033-FHA-02	2"	2.375"	5.500"	1
1033-FHA-03	3"	3.500"	6.000"	1
1033-FHA-04	4"	4.500"	7.000"	2
1033-FHA-05	5"	5.563"	7.000"	2
1033-FHA-06	6"	6.625"	7.500"	2
1033-FHA-08	8"	8.625"	9.000"	3
1033-FHA-10	10"	10.750"	9.000"	3
1033-FHA-12	12"	12.750"	9.000"	4
1033-FHA-14	14"	14.000"	8.000"	4
1033-FHA-16	16"	16.000"	8.000"	5
1033-FHA-18	18"	18.000"	8.000"	5





## Butterfly Damper Belled

Part No.	Size	A	B	C	Approx. Wgt (lbs.)
1034-BD-02	2"	2.375"	6.750"	1.500"	1
1034-BD-03	3"	3.500"	8.875"	1.750"	2
1034-BD-04	4"	4.500"	9.500"	1.750"	3
1034-BD-05	5"	5.563"	10.000"	2.000"	3
1034-BD-06	6"	6.625"	9.500"	2.000"	3
1034-BD-07	7"	7.375"	9.500"	2.250"	4
1034-BD-08	8"	8.625"	10.500"	2.250"	4
1034-BD-09	9"	9.375"	10.500"	2.250"	5
1034-BD-10	10"	10.750"	11.500"	2.500"	6
1034-BD-11	11"	11.375"	11.500"	2.500"	6
1034-BD-12	12"	12.750"	12.500"	2.500"	7
1034-BD-14	14"	14.000"	13.500"	2.500"	9
1034-BD-16	16"	16.000"	15.500"	2.500"	12
1034-BD-18	18"	18.000"	17.500"	2.500"	13
1034-BD-20	20"	20.000"	19.500"	3.000"	18
1034-BD-22	22"	22.000"	26.500"	2.250"	26
1034-BD-24	24"	24.000"	23.500"	3.000"	28
1034-BD-26	26"	26.000"	30.500"	2.250"	44
1034-BD-28	28"	28.000"	32.500"	2.250"	50
1034-BD-30	30"	30.000"	34.500"	2.250"	71
1034-BD-32	32"	32.000"	36.500"	2.250"	93
1034-BD-34	34"	34.000"	38.500"	2.250"	104
1034-BD-36	36"	36.000"	40.500"	2.250"	115
1034-BD-48	48"	48.000"	52.500"	2.250"	175






# HARRISON

Harrison Machine and Plastic Corporation

• GARRETTSVILLE, OH 44231  
WWW.HARRISONPLASTIC.COM



## Actuated Butterfly Damper Belled

Part No.	Size	A	Approx. Wgt (lbs.)
1034-ABD-02	2"	11.50"	4
1034-ABD-03	3"	11.50"	4
1034-ABD-04	4"	11.50"	5
1034-ABD-05	5"	11.50"	6
1034-ABD-06	6"	11.50"	7
1034-ABD-07	7"	11.50"	7
1034-ABD-08	8"	11.50"	7
1034-ABD-09	9"	11.50"	7
1034-ABD-10	10"	11.50"	8
1034-ABD-11	11"	11.50"	8
1034-ABD-12	12"	12.50"	10
1034-ABD-14	14"	13.50"	10
1034-ABD-16	16"	15.50"	13
1034-ABD-18	18"	17.50"	16
1034-ABD-20	20"	19.50"	22
1034-ABD-24	24"	23.50"	30




# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## Blastgate Belled


Part No.	Size	A	B	C	Approx. Wgt (lbs.)
1034-BG-02	2"	6.000"	3.750"	1.000"	1
1034-BG-03	3"	7.000"	4.880"	3.250"	2
1034-BG-04	4"	8.000"	5.560"	3.250"	3
1034-BG-05	5"	11.000"	8.880"	5.000"	5
1034-BG-06	6"	11.000"	8.880"	5.000"	5
1034-BG-07	7"	11.000"	8.880"	5.000"	5
1034-BG-08	8"	14.000"	10.250"	4.000"	6
1034-BG-09	9"	14.000"	10.250"	4.000"	6
1034-BG-10	10"	17.000"	12.380"	4.500"	7
1034-BG-11	11"	20.000"	12.380"	4.500"	8
1034-BG-12	12"	20.000"	13.880"	4.500"	10
1034-BG-14	14"	21.750"	15.500"	4.500"	12
1034-BG-16	16"	23.000"	17.500"	4.250"	13
1034-BG-18	18"	28.000"	19.500"	4.250"	18
1034-BG-20	20"	30.750"	21.500"	5.750"	34
1034-BG-22	22"	34.750"	23.500"	0.625"	38
1034-BG-24	24"	34.000"	25.500"	5.750"	44
1034-BG-26	26"	38.500"	27.500"	0.625"	49
1034-BG-28	28"	40.500"	31.000"	1.250"	57
1034-BG-30	30"	52.000"	36.000"	1.250"	81
1034-BG-32	32"	54.000"	38.000"	1.250"	133
1034-BG-34	34"	56.000"	40.000"	1.250"	144
1034-BG-36	36"	58.000"	42.000"	1.250"	157
1034-BG-42	42"	68.000"	48.000"	1.250"	207





Blind Flange (Duct Drilling)					
Part No.	Size	A	B	# Bolt	Approx. Weight (lbs.)
				Holes	
1034-BF-02	2"	6.000"	5.000"	4	1
1034-BF-03	3"	7.500"	6.000"	4	1
1034-BF-04	4"	8.000"	6.500"	6	1
1034-BF-05	5"	9.000"	7.500"	8	1
1034-BF-06	6"	10.000"	8.500"	8	1
1034-BF-07	7"	11.000"	9.500"	8	1
1034-BF-08	8"	12.000"	10.500"	10	2
1034-BF-09	9"	13.000"	11.500"	10	2
1034-BF-10	10"	14.000"	12.500"	12	2
1034-BF-11	11"	15.000"	13.500"	12	2
1034-BF-12	12"	16.000"	14.500"	14	3
1034-BF-14	14"	18.000"	16.500"	16	4
1034-BF-16	16"	20.000"	18.500"	18	6
1034-BF-18	18"	22.000"	20.500"	20	6
1034-BF-20	20"	24.000"	22.500"	22	8
1034-BF-22	22"	26.000"	24.500"	24	9
1034-BF-24	24"	28.000"	26.500"	24	10
1034-BF-26	26"	30.000"	28.500"	28	12
1034-BF-28	28"	32.000"	30.500"	32	13
1034-BF-30	30"	34.000"	32.500"	32	22
1034-BF-32	32"	36.375"	34.875"	34	25
1034-BF-34	34"	38.375"	36.875"	36	28
1034-BF-36	36"	40.375"	38.875"	38	30
1034-BF-38	38"	42.375"	40.875"	40	34
1034-BF-40	40"	44.375"	42.875"	42	37
1034-BF-42	42"	46.375"	44.875"	44	70
1034-BF-48	48"	52.375"	50.875"	50	90

All bolt holes are 5/16" diameter, excluding 42" & 48"






# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

<b>Cap (Belled)</b>			
<b>Part No.</b>	<b>Size</b>	<b>A</b>	<b>Approx. Wgt (lbs.)</b>
1034-CA-02	2"	2.000"	1
1034-CA-03	3"	2.000"	1
1034-CA-04	4"	2.000"	1
1034-CA-05	5"	2.000"	1
1034-CA-06	6"	2.000"	1
1034-CA-07	7"	2.000"	3
1034-CA-08	8"	2.000"	2
1034-CA-09	9"	2.000"	2
1034-CA-10	10"	2.000"	3
1034-CA-11	11"	2.000"	3
1034-CA-12	12"	2.000"	3
1034-CA-14	14"	2.000"	3
1034-CA-16	16"	2.000"	5
1034-CA-18	18"	2.000"	6
1034-CA-20	20"	2.000"	7
1034-CA-22	22"	2.000"	7
1034-CA-24	24"	2.000"	10
1034-CA-26	26"	2.000"	15
1034-CA-28	28"	2.000"	17
1034-CA-30	30"	4.500"	21
1034-CA-32	32"	4.500"	25
1034-CA-34	34"	4.500"	28
1034-CA-36	36"	4.500"	32






# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

Coupling Sleeved			
Part No.	Size	A	Approx. Weight (lbs.)
1034-CP-02	2"	4.000"	1
1034-CP-03	3"	4.000"	1
1034-CP-04	4"	4.000"	1
1034-CP-05	5"	4.500"	1
1034-CP-06	6"	4.500"	1
1034-CP-07	7"	4.500"	1
1034-CP-08	8"	4.500"	2
1034-CP-09	9"	4.500"	2
1034-CP-10	10"	4.500"	2
1034-CP-11	11"	4.500"	2
1034-CP-12	12"	4.500"	2
1034-CP-14	14"	4.500"	2
1034-CP-16	16"	4.500"	3
1034-CP-18	18"	4.500"	3
1034-CP-20	20"	4.500"	4
1034-CP-22	22"	4.500"	3
1034-CP-24	24"	4.500"	5
1034-CP-26	26"	4.500"	4
1034-CP-28	28"	4.500"	4
1034-CP-30	30"	4.500"	4
1034-CP-32	32"	4.500"	6
1034-CP-34	34"	4.500"	6
1034-CP-36	36"	4.500"	7
1034-CP-38	38"	4.500"	7
1034-CP-40	40"	4.500"	7
1034-CP-42	42"	4.500"	8
1034-CP-44	44"	4.500"	8
1034-CP-46	46"	4.500"	9
1034-CP-48	48"	4.500"	9
1034-CP-52	52"	4.500"	10





# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## Flexible Coupling

Part No.	Size	A	Approx. Wgt (lbs.)
1034-FC-02	2"	6"	1
1034-FC-03	3"	6"	1
1034-FC-04	4"	6"	1
1034-FC-05	5"	6"	1
1034-FC-06	6"	6"	2
1034-FC-08	8"	6"	2
1034-FC-10	10"	6"	2
1034-FC-12	12"	6"	2
1034-FC-14	14"	6"	3
1034-FC-16	16"	6"	3
1034-FC-18	18"	6"	3
1034-FC-20	20"	6"	3
1034-FC-22	22"	6"	3
1034-FC-24	24"	6"	4
1034-FC-26	26"	8"	4
1034-FC-28	28"	8"	5
1034-FC-30	30"	8"	5
1034-FC-32	32"	8"	5
1034-FC-34	34"	8"	6
1034-FC-36	36"	8"	6
1034-FC-40	40"	8"	7
1034-FC-42	42"	8"	7
1034-FC-44	44"	8"	7
1034-FC-48	48"	8"	8
1034-FC-52	52"	8"	8






# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## Flexible Duct (PVC)

Part No.	Size	Bare Wire	Wall	Standard	Approx. Wgt / Ft (lbs.)
	I.D.	Gauge		Length	
1033-FH-02	2"	0.045	0.024"	25 ft.	0.22
1033-FH-03	3"	0.045	0.032"	25 ft.	0.29
1033-FH-04	4"	0.045	0.032"	25 ft.	0.36
1033-FH-05	5"	0.045	0.032"	25 ft.	0.45
1033-FH-06	6"	0.064	0.032"	25 ft.	0.53
1033-FH-08	8"	0.064	0.032"	25 ft.	0.64
1033-FH-10	10"	0.064	0.024"	25 ft.	0.80
1033-FH-12	12"	0.064	0.024"	25 ft.	0.95
1033-FH-14	14"	0.064	0.024"	25 ft.	1.11
1033-FH-16	16"	0.064	0.024"	25 ft.	1.27
1033-FH-18	18"	0.064	0.024"	25 ft.	1.65





# HARRISON

## Harrison Machine and Plastic Corporation



11614 ST RT 88 • GARRETTVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM



### Gasket EPDM

Part No.	Size	OD	ID	Bolt Circle	# Bolt Holes	Approx. Wgt (lbs.)
DG-04	4"	8.000"	4.500"	6.500"	6	1
DG-06	6"	10.000"	6.625"	8.500"	8	1
DG-08	8"	12.000"	8.625"	10.500"	10	1
DG-10	10"	14.000"	10.750"	12.500"	12	1
DG-12	12"	16.000"	12.750"	14.500"	14	1
DG-14	14"	18.000"	14.000"	16.500"	16	1
DG-16	16"	20.000"	16.000"	18.500"	18	1
DG-18	18"	22.000"	18.000"	20.500"	20	2
DG-20	20"	24.000"	20.000"	22.500"	22	2
DG-24	24"	28.000"	24.000"	26.500"	24	2
Contact Sales for VITON gasket material						
All bolt holes are 5/16" diameter						





# HARRISON

Harrison Machine and Plastic Corporation



11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM





## Double Lateral Hood

Lengths from 24" to 96"

Widths from 18" to 66"

## Single Lateral Hood

Lengths from 24" to 18 ft.



## Single Slot Rear Exhaust Hood

Widths from 18' to 72"

## Double Slot Rear Exhaust Hood

Widths from 18' to 72"




# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## Rainskirt Belled

Part No.	Size	A	B	Approx. Wgt (lbs.)
1034-RS-02	2"	2.250"	4.500"	1
1034-RS-03	3"	2.625"	5.500"	1
1034-RS-04	4"	4.000"	6.875"	1
1034-RS-05	5"	4.000"	8.000"	1
1034-RS-06	6"	4.000"	8.875"	1
1034-RS-07	7"	4.000"	10.250"	2
1034-RS-08	8"	4.000"	11.375"	2
1034-RS-09	9"	4.000"	12.250"	2
1034-RS-10	10"	4.000"	13.625"	2
1034-RS-11	11"	4.000"	14.000"	2
1034-RS-12	12"	4.000"	16.250"	2
1034-RS-14	14"	4.000"	17.000"	2
1034-RS-16	16"	4.000"	19.000"	3
1034-RS-18	18"	6.000"	22.000"	4
1034-RS-20	20"	6.000"	23.625"	6
1034-RS-24	24"	8.000"	27.000"	8






# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
27-5641 • WWW.HARRISONPLASTIC.COM



## Reducer Coupling One Step (Bell x Bell)

Part No.	Size	A	B	C	Approx. Wgt (lbs.)
1034-RC-0403	4" x 3"	1.750"	1.750"	7.000"	1
1034-RC-0604	6" x 4"	2.000"	1.750"	7.000"	2
1034-RC-0806	8" x 6"	2.250"	2.000"	8.000"	2
1034-RC-1008	10" x 8"	2.500"	2.000"	8.000"	3
1034-RC-1210	12" x 10"	2.500"	2.500"	8.000"	3
1034-RC-1412	14" x 12"	2.500"	2.500"	7.250"	4
1034-RC-1614	16" x 14"	2.500"	2.500"	9.000"	5
1034-RC-1816	18" x 16"	2.500"	2.500"	8.250"	5

## Two Step (Bell x Bell)

1034-RC-0804	8" x 4"	2.250"	1.750"	12.500"	4
1034-RC-1006	10" x 6"	2.500"	2.000"	12.750"	5
1034-RC-1208	12" x 8"	2.500"	2.250"	13.250"	6
1034-RC-1410	14" x 10"	2.500"	2.500"	12.500"	6
1034-RC-1612	16" x 12"	2.500"	2.500"	13.500"	8
1034-RC-1814	18" x 14"	2.500"	2.500"	14.500"	10

Rolled reducer couplings also available




Harrison Machine and Plastic Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## Rolled Reducer Coupling Smooth Flow Design (Bell x Bell)


Part No.	Size	A	B	C	Approx. Wgt (lbs.)
1034-RCR-0604	6 x 4"	2.00	2.50	12.75	2
1034-RCR-0804	8 x 4"	2.25	2.50	12.75	3
1034-RCR-0806	8 x 6"	2.25	2.00	13.00	4
1034-RCR-1004	10 x 4"	2.50	2.50	13.00	4
1034-RCR-1006	10 x 6"	2.50	2.00	14.25	4
1034-RCR-1008	10 x 8"	2.50	2.25	13.25	4
1034-RCR-1009	10 x 9"	2.50	2.25	12.50	4
1034-RCR-1204	12 x 4"	2.50	2.50	14.00	4
1034-RCR-1206	12 x 6"	2.50	2.00	12.25	4
1034-RCR-1208	12 x 8"	2.50	2.25	13.25	5
1034-RCR-1210	12 x 10"	2.50	2.50	13.50	5
1034-RCR-1404	14 x 4"	2.50	2.50	16.00	5
1034-RCR-1406	14 x 6"	2.50	2.00	20.25	7
1034-RCR-1407	14 x 7"	2.50	2.25	17.25	6
1034-RCR-1408	14 x 8"	2.50	2.25	18.25	7
1034-RCR-1410	14 x 10"	2.50	2.50	18.50	7
1034-RCR-1412	14 x 12"	2.50	2.50	13.50	6
1034-RCR-1603	16 x 3"	2.50	1.88	20.00	7
1034-RCR-1604	16 x 4"	2.50	2.50	24.00	8
1034-RCR-1606	16 x 6"	2.50	2.00	16.25	6
1034-RCR-1608	16 x 8"	2.50	2.25	18.25	7
1034-RCR-1610	16 x 10"	2.50	2.50	18.50	8
1034-RCR-1612	16 x 12"	2.50	2.50	13.50	6
1034-RCR-1614	16 x 14"	2.50	2.50	13.50	7





## Rolled Reducer Coupling Smooth Flow Design (Bell x Bell)


Part No.	Size	A	B	C	Approx. Wgt (lbs.)
1034-RCR-1808	18 x 8"	2.50	2.25	24.25	10
1034-RCR-1810	18 x 10"	2.50	2.50	20.50	9
1034-RCR-1812	18 x 12"	2.50	2.50	20.50	9
1034-RCR-1814	18 x 14"	2.50	2.50	18.50	9
1034-RCR-1816	18 x 16"	2.50	2.50	13.50	7
1034-RCR-2008	20 x 8"	3.00	2.25	25.75	13
1034-RCR-2012	20 x 12"	3.00	2.50	16.00	10
1034-RCR-2014	20 x 14"	3.00	2.50	22.00	13
1034-RCR-2016	20 x 16"	3.00	2.50	22.00	14
1034-RCR-2018	20 x 18"	3.00	2.50	15.00	10
1034-RCR-2214	22 x 14"	4.50	2.50	16.75	9
1034-RCR-2216	22 x 16"	4.50	2.50	20.75	12
1034-RCR-2218	22 x 18"	4.50	2.50	18.75	11
1034-RCR-2220	22 x 20"	4.50	3.00	22.25	16
1034-RCR-2408	24 x 8"	3.00	2.25	22.75	14
1034-RCR-2410	24 x 10"	3.00	2.50	22.00	15
1034-RCR-2412	24 x 12"	3.00	2.50	22.00	14
1034-RCR-2414	24 x 14"	3.00	2.50	20.00	12
1034-RCR-2416	24 x 16"	3.00	2.50	22.00	15
1034-RCR-2418	24 x 18"	3.00	2.50	20.00	14
1034-RCR-2420	24 x 20"	3.00	3.00	16.50	14
1034-RCR-2422	24 x 22"	3.00	4.50	14.25	12
1034-RCR-2618	26 x 18"	4.50	2.50	13.75	10
1034-RCR-2620	26 x 20"	4.50	3.00	17.25	14
1034-RCR-2622	26 x 22"	4.50	4.50	15.00	11
1034-RCR-2624	26 x 24"	4.50	3.00	14.25	13
1034-RCR-2818	28 x 18"	4.50	2.50	18.75	13
1034-RCR-2820	28 x 20"	4.50	3.00	22.25	18
1034-RCR-2822	28 x 22"	4.50	4.50	14.00	11





## Rolled Reducer Coupling Smooth Flow Design (Bell x Bell)

Part No.	Size	A	B	C	Approx. Wgt (lbs.)
1034-RCR-2824	28 x 24"	4.50	3.00	22.25	19
1034-RCR-2826	28 x 26"	4.50	4.50	13.00	11
1034-RCR-3010	30 x 10"	4.50	2.50	24.75	17
1034-RCR-3018	30 x 18"	4.50	2.50	20.75	15
1034-RCR-3020	30 x 20"	4.50	3.00	22.25	18
1034-RCR-3022	30 x 22"	4.50	4.50	17.00	14
1034-RCR-3024	30 x 24"	4.50	3.00	22.25	20
1034-RCR-3026	30 x 26"	4.50	4.50	14.00	12
1034-RCR-3028	30 x 28"	4.50	4.50	19.00	17
1034-RCR-3220	32 x 20"	4.50	3.00	22.25	24
1034-RCR-3224	32 x 24"	4.50	3.00	20.25	24
1034-RCR-3226	32 x 26"	4.50	4.50	17.00	19
1034-RCR-3228	32 x 28"	4.50	4.50	15.00	17
1034-RCR-3230	32 x 30"	4.50	4.50	17.00	17
1034-RCR-3426	34 x 26"	4.50	4.50	19.00	22
1034-RCR-3428	34 x 28"	4.50	4.50	17.00	20
1034-RCR-3430	34 x 30"	4.50	4.50	15.00	18
1034-RCR-3432	34 x 32"	4.50	4.50	13.00	18
1034-RCR-3624	36 x 24"	4.50	3.00	16.25	22
1034-RCR-3628	36 x 28"	4.50	4.50	21.00	27
1034-RCR-3630	36 x 30"	4.50	4.50	17.00	22
1034-RCR-3632	36 x 32"	4.50	4.50	14.00	20
1034-RCR-3634	36 x 34"	4.50	4.50	13.00	19
1034-RCR-3830	38 x 30"	4.50	4.50	21.00	28
1034-RCR-3832	38 x 32"	4.50	4.50	21.00	30
1034-RCR-3834	38 x 34"	4.50	4.50	15.00	22
1034-RCR-3836	38 x 36"	4.50	4.50	15.00	23
1034-RCR-4032	40 x 32"	4.50	4.50	17.00	26
1034-RCR-4036	40 x 36"	4.50	4.50	15.00	24
1034-RCR-4038	40 x 38"	4.50	4.50	13.00	21
1034-RCR-4234	42 x 34"	4.50	4.50	15.00	25
1034-RCR-4236	42 x 36"	4.50	4.50	15.00	26
1034-RCR-4238	42 x 38"	4.50	4.50	13.00	22
1034-RCR-4440	44 x 40"	4.50	4.50	13.00	23
1034-RCR-4442	44 x 42"	4.50	4.50	13.00	23
1034-RCR-4642	46 x 42"	4.50	4.50	15.00	28
1034-RCR-4830	48 x 30"	4.50	4.50	25.00	42
1034-RCR-4836	48 x 36"	4.50	4.50	21.00	39





# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM



<b>Roof Flashing</b>	
<b>EPDM</b>	
<b>Part No.</b>	<b>Size</b>
<b>RF-05</b>	<b>4" - 8-1/4"</b>
<b>RF-06</b>	<b>4-3/4" - 8-1/4"</b>
<b>RF-07</b>	<b>5-1/2" - 11-1/2"</b>
<b>RF-08</b>	<b>6-3/4" - 13-1/2"</b>
<b>RF-09</b>	<b>9-1/2" - 20-1/2"</b>
<b>RF-10</b>	<b>12" - 28-1/2"</b>




# HARRISON

## Harrison Machine and Plastic Corporation



11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM



### Flange (Duct Drilling) Socket/Belled

Part No.	Size	A	B	C	Bolt Circle	# Bolt Holes	Approx. Wgt (lbs.)
1034-SF-02	2"	6.000"	2.750"	1.500"	5.000"	4	1
1034-SF-03	3"	6.625"	3.250"	1.750"	5.625"	4	1
1034-SF-04	4"	8.000"	3.625"	2.000"	6.500"	6	1
1034-SF-05	5"	9.000"	4.000"	2.000"	7.500"	8	1
1034-SF-06	6"	10.000"	4.000"	2.000"	8.500"	8	1
1034-SF-07	7"	11.000"	4.000"	2.250"	9.500"	8	1
1034-SF-08	8"	12.000"	4.000"	2.250"	10.500"	10	2
1034-SF-09	9"	13.000"	4.000"	2.250"	11.500"	10	2
1034-SF-10	10"	14.000"	4.000"	2.500"	12.500"	12	2
1034-SF-11	11"	15.000"	4.000"	2.500"	13.500"	12	2
1034-SF-12	12"	16.000"	4.000"	2.500"	14.500"	14	3
1034-SF-14	14"	18.000"	4.000"	2.500"	16.500"	16	3
1034-SF-16	16"	20.000"	4.000"	2.500"	18.500"	18	4
1034-SF-18	18"	22.000"	4.000"	2.500"	20.500"	20	4
1034-SF-20	20"	24.000"	4.000"	3.000"	22.500"	22	6
1034-SF-22	22"	26.000"	4.500"	4.500"	24.500"	24	5
1034-SF-24	24"	28.000"	4.000"	3.000"	26.500"	24	8
1034-SF-26	26"	30.000"	4.500"	4.500"	28.500"	28	6
1034-SF-28	28"	32.000"	4.500"	4.500"	30.500"	32	6
1034-SF-30	30"	34.000 "	4.500"	4.500"	32.500"	32	7
1034-SF-32	32"	36.375"	4.500"	4.500"	34.875"	34	9
1034-SF-34	34"	38.375"	4.500"	4.500"	36.875"	36	9
1034-SF-36	36"	40.375"	4.500"	4.500"	38.875"	38	10
1034-SF-38	38"	42.375"	4.500 "	4.500"	40.875"	40	11
1034-SF-40	40"	44.375"	4.500"	4.500"	42.875"	42	11
1034-SF-42	42"	46.375"	4.500"	4.500"	44.875"	44	12
1034-SF-48	48"	52.375"	4.500"	4.500"	50.875"	50	13

All bolt holes are 5/16" diameter, excluding 42" & 48"




# HARRISON

Harrison Machine and Plastic Corporation



11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM



## 150# Drilled Flange Socket/Belled

Part No.	Size	A	B	C	Bolt Circle	# Bolt Holes	Bolt Hole Dia.	Approx. Wgt (lbs.)
1034-SF1-04	4"	9.000"	3.750"	2.000"	7.500"	8	0.750"	1
1034-SF1-06	6"	11.000"	4.000"	2.000"	9.500"	8	0.875"	1
1034-SF1-08	8"	13.500"	4.000"	2.250"	11.750"	8	0.875"	2
1034-SF1-10	10"	16.000"	4.000"	2.500"	14.250"	12	1.000"	2
1034-SF1-12	12"	19.000"	4.000"	2.500"	17.000"	12	1.000"	3
1034-SF1-14	14"	21.000"	4.000"	2.500"	18.750"	12	1.125"	3
1034-SF1-16	16"	23.500"	4.000"	2.500"	21.250"	16	1.125"	4
1034-SF1-18	18"	25.000"	4.000"	2.500"	22.750"	16	1.250"	4
1034-SF1-20	20"	27.500"	5.750"	3.000"	25.000"	20	1.250"	6
1034-SF1-24	24"	32.000"	5.750"	3.000"	29.500"	20	1.375"	8




# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## Raincap 'Style A' Belled


Part No.	Size	A	B	Approx. Wgt (lbs.)
1034-WCA-02	2"	8.000"	4.000"	1
1034-WCA-03	3"	8.500"	6.000"	1
1034-WCA-04	4"	9.000"	8.000"	2
1034-WCA-05	5"	9.500"	10.000"	3
1034-WCA-06	6"	10.500"	12.000"	3
1034-WCA-07	7"	11.000"	14.000"	5
1034-WCA-08	8"	12.250"	16.000"	5
1034-WCA-09	9"	13.000"	18.000"	6
1034-WCA-10	10"	13.500"	20.000"	7
1034-WCA-11	11"	14.000"	22.000"	9
1034-WCA-12	12"	15.250"	23.000"	9
1034-WCA-14	14"	16.000"	28.000"	12
1034-WCA-16	16"	16.750"	32.000"	15
1034-WCA-18	18"	17.500"	36.000"	17
1034-WCA-20	20"	18.500"	40.000"	27
1034-WCA-24	24"	19.000"	44.000"	37





## Raincap 'Style B' Belled

Part No.	Size	A	B	C	Approx. Wgt (lbs.)
1034-WCB-02	2"	6.000"	8.000"	3.500"	2
1034-WCB-03	3"	6.000"	12.000"	4.500"	4
1034-WCB-04	4"	6.000"	16.000"	6.625"	6
1034-WCB-05	5"	8.000"	18.000"	7.375"	9
1034-WCB-06	6"	8.000"	24.000"	8.625"	11
1034-WCB-07	7"	8.000"	28.000"	9.375"	14
1034-WCB-08	8"	8.000"	32.000"	10.750"	16
1034-WCB-09	9"	8.000"	36.000"	11.375"	18
1034-WCB-10	10"	8.000"	40.000"	12.750"	23
1034-WCB-11	11"	8.000"	44.000"	12.750"	24
1034-WCB-12	12"	8.000"	48.000"	14.000"	28
1034-WCB-14	14"	8.000"	56.000"	16.000"	39
1034-WCB-16	16"	8.000"	64.000"	18.000"	53
1034-WCB-18	18"	10.000"	72.000"	20.000"	61
1034-WCB-20	20"	10.000"	80.000"	22.000"	88
1034-WCB-22	22"	12.000"	88.000"	24.000"	108
1034-WCB-24	24"	12.000"	96.000"	26.000"	110
1034-WCB-26	26"	12.000"	104.000"	28.000"	125
1034-WCB-36	36"	12.000"	144.000"	38.000"	305
1034-WCB-48	48"	12.000"	192.000"	50.000"	527
<b>Zero pressure loss feature</b>					






Harrison Machine and Plastic Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## Tee Belled


Part No.	Size	A	B	Approx. Wgt (lbs.)
1034-T-0604	6 x 6 x 4"	6.250"	7.151"	3
1034-T-06	6 x 6 x 6"	7.313"	7.313"	4
1034-T-07	7 x 7 x 7"	7.938"	8.187"	5
1034-T-0804	8 x 8 x 4"	6.500"	8.151"	5
1034-T-0806	8 x 8 x 6"	7.562"	8.080"	5
1034-T-08	8 x 8 x 8"	8.563"	8.563"	6
1034-T-09	9 x 9 x 9"	8.937"	8.937"	7
1034-T-1006	10 x 10 x 6"	7.813"	9.142"	6
1034-T-1008	10 x 10 x 8"	8.813"	9.392"	8
1034-T-10	10 x 10 x 10"	9.875"	9.875"	8
1034-T-11	11 x 11 x 11"	10.187"	10.187"	10
1034-T-1206	12 x 12 x 6"	7.813"	10.142"	9
1034-T-1208	12 x 12 x 8"	8.813"	10.392"	9
1034-T-1210	12 x 12 x 10"	9.875"	10.642"	11
1034-T-12	12 x 12 x 12"	10.875"	10.875"	11
1034-T-1410	14 x 14 x 10"	9.875"	11.267"	12
1034-T-1412	14 x 14 x 12"	10.875"	11.267"	12
1034-T-14	14 x 14 x 14"	11.500"	11.500"	12
1034-T-1612	16 x 16 x 12"	10.875"	12.267"	15
1034-T-1614	16 x 16 x 14"	11.500"	12.267"	16
1034-T-16	16 x 16 x 16"	12.500"	12.500"	16
1034-T-1814	18 x 18 x 14"	11.750"	13.267"	17
1034-T-1816	18 x 18 x 16"	12.750"	13.267"	19
1034-T-18	18 x 18 x 18"	13.750"	13.750"	19
1034-T-20	20 x 20 x 20"	15.250"	15.250"	29
1034-T-22	22 x 22 x 22"	17.000"	17.000"	39
1034-T-2210	22 x 22 x 10"	11.375"	15.267"	23
1034-T-2212	22 x 22 x 12"	12.375"	15.267"	26
1034-T-2214	22 x 22 x 14"	13.000"	15.267"	27
1034-T-2216	22 x 22 x 16"	14.000"	15.267"	30
1034-T-2218	22 x 22 x 18"	15.000"	15.267"	33
1034-T-2220	22 x 22 x 20"	16.000"	15.267"	38
1034-T-2418	24 x 24 x 18"	17.000"	16.267"	33
1034-T-24	24 x 24 x 24"	17.250"	17.250"	40





## Tee Belled

Part No.	Size	A	B	Approx. Wgt (lbs.)
1034-T-26	26 x 26 x 26"	19.000"	19.000"	54
1034-T-2608	26 x 26 x 8"	10.312"	17.017"	25
1034-T-2612	26 x 26 x 12"	12.375"	17.017"	30
1034-T-2620	26 x 26 x 20"	16.000"	17.767"	39
1034-T-2624	26 x 26 x 24"	18.000"	17.767"	53
1034-T-28	28 x 28 x 28"	20.000"	20.000"	60
1034-T-2818	28 x 28 x 18"	15.000"	18.267"	39
1034-T-2826	28 x 28 x 26"	19.000"	20.000"	57
1034-T-30	30 x 30 x 30"	21.000"	21.000"	67
1034-T-3008	30 x 30 x 8"	10.312"	19.017"	27
1034-T-3012	30 x 30 x 12"	12.375"	19.267"	32
1034-T-3014	30 x 30 x 14"	13.000"	19.267"	34
1034-T-3020	30 x 30 x 20"	16.000"	19.767"	47
1034-T-3022	30 x 30 x 22"	17.000"	21.000"	46
1034-T-3024	30 x 30 x 24"	18.000"	19.767"	56
1034-T-3028	30 x 30 x 28"	20.000"	21.000"	59
1034-T-32	32 x 32 x 32"	22.000"	22.000"	97
1034-T-3216	32 x 32 x 16"	14.000"	20.267"	51
1034-T-3218	32 x 32 x 18"	15.000"	20.267"	54
1034-T-3228	32 x 32 x 28"	20.000"	24.000"	75
1034-T-3230	32 x 32 x 30"	21.000"	24.000"	82
1034-T-34	34 x 34 x 34"	23.000"	24.000"	106
1034-T-36	36 x 36 x 36"	24.000"	24.000"	117
1034-T-3616	36 x 36 x 16"	14.000"	22.267"	57
1034-T-3620	36 x 36 x 20"	16.000"	22.267"	67
1034-T-42	42 x 42 x 42"	27.000"	27.000"	153





# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM



## Transitions

Transitions (square to round, rectangular to round) with socket or flanged connections available per customer specifications. Transitions to dis-similar materials also available. Please contact us for pricing.




# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

## True Wye Belled

Part No.	Size	A	B	Approx. Wgt (lbs..)
1034-TY-02	2"	2.750"	2.375"	1
1034-TY-03	3"	3.250"	5.000"	2
1034-TY-04	4"	4.500"	5.750"	2
1034-TY-05	5"	4.875"	6.500"	3
1034-TY-06	6"	4.750"	6.500"	3
1034-TY-07	7"	4.312"	6.500"	4
1034-TY-08	8"	5.562"	8.125"	5
1034-TY-09	9"	5.750"	8.500"	6
1034-TY-10	10"	6.000"	9.250"	7
1034-TY-11	11"	6.187"	9.500"	8
1034-TY-12	12"	6.437"	10.000"	9
1034-TY-14	14"	6.625"	10.750"	10
1034-TY-16	16"	7.062"	11.750"	12
1034-TY-18	18"	8.500"	13.875"	16
1034-TY-20	20"	9.000"	14.750"	26
1034-TY-24	24"	10.750"	17.750"	31






# HARRISON

Harrison Machine and Plastic  Corporation

11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM





## Vertical Backdraft Damper Belled

Part No.	Size	A	B	Approx. Wgt (lbs.)
1034-VBDD-04	4"	4.500"	10.250"	3
1034-VBDD-06	6"	6.625"	11.000"	3
1034-VBDD-08	8"	8.625"	10.875"	4
1034-VBDD-10	10"	10.750"	11.875"	6
1034-VBDD-12	12"	12.750"	12.500"	7
1034-VBDD-14	14"	14.000"	13.500"	9



## 45° Wye Belled



Part No.	Size	A	B	C	Approx. Wgt (lbs.)
1034-Y-0604	6 X 6 X 4"	15.500"	10.863"	11.863"	4
1034-Y-06	6 X 6 X 6"	18.375"	13.250"	13.250"	5
1034-Y-07	7 X 7 X 7"	19.875	14.375"	14.375"	8
1034-Y-0804	8 X 8 X 4"	16.000"	12.454"	13.113'	6
1034-Y-0806	8 X 8 X 6"	18.875"	13.433"	14.486"	7
1034-Y-08	8 X 8 X 8"	21.750"	15.875"	15.875"	8
1034-Y-09	9 X 9 X 9"	23.500	16.875"	16.875"	11
1034-Y-1006	10 X 10 X 6"	19.875"	15.458"	16.298"	9
1034-Y-1008	10 X 10 X 8"	22.875"	16.579"	17.889'	11
1034-Y-10	10 X 10 X 10"	25.875"	19.312"	19.312"	13
1034-Y-11	11 X 11 X 11"	27.250"	20.000"	20.000"	16
1034-Y-1208	12 X 12 X 8"	22.875"	17.993"	18.889"	13
1034-Y-1210	12 X 12 X 10"	25.875"	19.052"	20.382"	16
1034-Y-12	12 X 12 X 12"	28.750"	21.687"	21.687"	16
1034-Y-1410	14 X 14 X 10"	25.750"	19.847"	20.882"	18
1034-Y-1412	14 X 14 X 12"	28.625"	20.880"	22.342"	22
1034-Y-14	14 X 14 X 14"	30.375"	23.125"	23.125"	22
1034-Y-1612	16 X 16 X 12"	28.625"	22.295"	23.342"	24
1034-Y-1614	16 X 16 X 14"	30.375"	22.949"	24.267"	26
1034-Y-16	16 X 16 X 16"	33.250"	25.625"	25.625"	29
1034-Y-1814	18 X 18 X 14"	30.750"	24.358"	25.260"	30
1034-Y-1816	18 X 18 X 16"	33.625"	25.619"	27.044"	31
1034-Y-18	18 X 18 X 18"	36.500"	28.250"	28.250"	40
1034-Y-20	20 X 20 X 20"	40.250"	31.125"	31.125"	53
1034-Y-22	22 X 22 X 22"	44.125	33.562"	33.562"	58
1034-Y-2210	22 X 22 X 10"	28.250	26.000"	25.625"	30
1034-Y-2212	22 X 22 X 12"	31.000	27.000"	26.985"	31
1034-Y-221208	22 X 12 X 08"	20.750	18.283	19.294	14
1034-Y-221210	22 X 12 X 10"	26.750	21.391"	23.689"	19
1034-Y-221212	22 X 12 X 12"	26.750	20.391"	22.275"	20
1034-Y-2214	22 X 22 X 14"	32.875	27.500"	27.976"	34
1034-Y-221408	22 X 14 X 08"	20.500	18.343	19.004	14
1034-Y-221410	22 X 14 X 10"	24.500	20.407"	21.672"	18
1034-Y-221412	22 X 14 X 12"	26.500	20.763"	22.195"	20
1034-Y-221414	22 X 14 X 14"	28.500	21.583"	23.335"	22
1034-Y-2216	22 X 22 X 16"	35.750	28.750"	29.437"	37





## 45° Wye Belled



Part No.	Size	A	B	C	Approx. Wgt (lbs.)
1034-Y-221608	22 X 16 X 08"	20.500	19.282"	19.082"	14
1034-Y-221610	22 X 16 X 10"	28.500	23.957"	25.693"	22
1034-Y-221612	22 X 16 X 12"	28.500	22.957"	24.278"	22
1034-Y-221614	22 X 16 X 14"	28.500	22.332"	23.395"	23
1034-Y-221616	22 X 16 X 16"	32.500	24.182"	26.012"	27
1034-Y-2218	22 X 22 X 18"	38.625	29.750"	30.897"	43
1034-Y-221810	22 X 18 X 10"	24.750	22.034"	21.974"	20
1034-Y-221812	22 X 18 X 12"	28.750	23.863"	24.560"	24
1034-Y-221814	22 X 18 X 14"	30.750	24.675"	25.709"	26
1034-Y-221816	22 X 18 X 16"	32.750	25.098	26.307	29
1034-Y-221818	22 X 18 X 18"	36.750	26.940"	28.911"	33
1034-Y-2220	22 X 22 X 20"	41.500	30.750"	32.358"	51
1034-Y-222010	22 X 20 X 10"	27.000	23.687"	24.279"	24
1034-Y-222012	22 X 20 X 12"	29.000	24.832"	24.899"	27
1034-Y-222014	22 X 20 X 14"	31.000	25.630"	26.027"	29
1034-Y-222016	22 X 20 X 16"	35.000	27.463"	28.620"	35
1034-Y-222018	22 X 20 X 18"	37.000	27.884"	29.216"	37
1034-Y-222020	22 X 20 X 20"	41.000	29.716"	31.805"	49
1034-Y-2418	24 X 24 X 18"	37.500"	31.229"	31.915"	48
1034-Y-24	24 X 24 X 24"	46.000"	36.000"	36.000"	78
1034-Y-26	26 X 26 X 26"	52.500	41.125"	41.125"	82
1034-Y-2608	26 X 26 X 8"	26.000	28.391"	26.901"	29
1034-Y-2610	26 X 26 X 10"	28.000	28.743"	27.399"	32
1034-Y-2612	26 X 26 X 12"	32.000	30.571"	29.984"	37
1034-Y-2614	26 X 26 X 14"	34.000	31.361"	31.101"	40
1034-Y-2616	26 X 26 X 16"	36.000	31.775"	31.686"	44
1034-Y-2618	26 X 26 X 18"	38.000	32.189"	32.272"	47
1034-Y-261810	26 X 18 X 10"	28.750	26.213"	27.884"	25
1034-Y-261812	26 X 18 X 12"	28.750	25.213"	26.469"	26
1034-Y-261814	26 X 18 X 14"	28.750	24.588"	25.585"	27
1034-Y-261816	26 X 18 X 16"	32.750	26.416"	28.171"	32
1034-Y-261818	26 X 18 X 18"	34.750	26.858"	28.796"	34
1034-Y-2620	26 X 26 X 20"	42.000	34.017"	34.858"	58





## 45° Wye Belled



Part No.	Size	A	B	C	Approx. Wgt (lbs.)
1034-Y-262010	26 X 20 X 10"	26.250	25.185"	25.398"	26
1034-Y-262012	26 X 20 X 12"	30.250	27.045"	28.028"	30
1034-Y-262014	26 X 20 X 14"	30.250	26.420"	27.145"	31
1034-Y-262016	26 X 20 X 16"	34.250	28.271"	29.762"	36
1034-Y-262018	26 X 20 X 18"	38.250	30.099"	32.348"	41
1034-Y-262020	26 X 20 X 20"	40.250	30.530"	32.957"	44
1034-Y-2622	26 X 26 X 22"	46.000	35.842"	37.438"	62
1034-Y-262210	26 X 22 X 10"	25.000	25.570"	24.224	23
1034-Y-262212	26 X 22 X 12"	29.000	27.289"	26.843	28
1034-Y-262214	26 X 22 X 14"	31.000	28.227"	27.981	29
1034-Y-262216	26 X 22 X 16"	33.000	28.634"	28.557	29
1034-Y-262218	26 X 22 X 18"	37.000	30.469"	31.153	40
1034-Y-262220	26 X 22 X 20"	39.000	30.895"	31.755	47
1034-Y-262222	26 X 22 X 22"	43.000	32.728"	34.347	48
1034-Y-2624	26 X 26 X 24"	50.000	37.674"	40.029"	75
1034-Y-262410	26 X 24 X 10"	28.250	28.148"	27.558	29
1034-Y-262412	26 X 24 X 12"	31.250	29.282"	29.161"	33
1034-Y-262414	26 X 24 X 14"	34.250	30.781"	31.281"	37
1034-Y-262416	26 X 24 X 16"	36.250	31.201"	31.875"	40
1034-Y-262418	26 X 24 X 18"	38.250	31.224	32.469	44
1034-Y-262420	26 X 24 X 20"	40.250	32.038"	33.059"	52
1034-Y-262422	26 X 24 X 22"	44.250	33.867"	35.645"	53
1034-Y-262424	26 X 24 X 24"	48.250	35.699"	38.236"	67
1034-Y-28	28 X 28 X 28"	52.500	40.701"	40.701"	86
1034-Y-2806	28 X 28 X 6"	24.000"	29.391"	27.316"	28
1034-Y-2810	28 X 28 X 10"	28.000"	30.157"	28.399"	33
1034-Y-2812	28 X 28 X 12"	32.000	31.968"	30.984"	39
1034-Y-2814	28 X 28 X 14"	34.000	32.775"	32.101"	42
1034-Y-2816	28 X 28 X 16"	36.000	33.189"	32.686"	45
1034-Y-2818	28 X 28 X 18"	38.000	33.603"	33.272"	49
1034-Y-2820	28 X 28 X 20"	42.000	35.432"	35.858"	61





## 45° Wye Belled



Part No.	Size	A	B	C	Approx. Wgt (lbs.)
1034-Y-282012	28 X 20 X 12"	30.250	27.607"	28.823"	35
1034-Y-282014	28 X 20 X 14"	30.250	27.085"	28.085"	35
1034-Y-282016	28 X 20 X 16"	34.250	28.941"	30.710"	35
1034-Y-282018	28 X 20 X 18"	36.250	29.366"	31.311"	38
1034-Y-282020	28 X 20 X 20"	38.250	29.790"	31.911"	46
1034-Y-2822	28 X 28 X 22"	46.000	37.260"	28.444"	65
1034-Y-282214	28 X 22 X 14"	31.000	28.885"	28.912"	31
1034-Y-282216	28 X 22 X 16"	33.000	29.309"	29.512"	35
1034-Y-282218	28 X 22 X 18"	37.000	30.469"	31.153"	40
1034-Y-282220	28 X 22 X 20"	39.000	31.575"	32.716"	48
1034-Y-282222	28 X 22 X 22"	43.000	33.414"	35.318"	48
1034-Y-2824	28 X 28 X 24"	50.000	39.588"	41.029"	78
1034-Y-282414	28 X 24 X 14"	34.250	31.453"	32.231"	37
1034-Y-282416	28 X 24 X 16"	36.250	31.873"	32.826"	41
1034-Y-282418	28 X 24 X 18"	38.250	32.293"	33.419"	44
1034-Y-282420	28 X 24 X 20"	40.250	32.712"	34.011"	52
1034-Y-282422	28 X 24 X 22"	44.250	34.548"	36.608"	53
1034-Y-282424	28 X 24 X 24"	48.250	36.383"	39.203"	68
1034-Y-2826	28 X 28 X 26"	52.000	39.503"	41.615"	78
1034-Y-282610	28 X 26 X 10"	27.000	29.172"	27.318"	27
1034-Y-282618	28 X 26 X 18"	37.000	32.638"	32.219"	43
1034-Y-282620	28 X 26 X 20"	39.000	33.055"	32.809"	52
1034-Y-282622	28 X 26 X 22"	45.000	36.301"	37.400"	55
1034-Y-282624	28 X 26 X 24"	47.000	36.719"	37.990"	68
1034-Y-30	30 X 30 X 30"	55.750	43.537"	45.537"	99
1034-Y-3010	30 X 30 X 10"	28.000	31.571"	29.399"	35
1034-Y-3012	30 X 30 X 12"	32.000	33.400"	31.984"	41
1034-Y-3014	30 X 30 X 14"	34.000	34.189"	33.101"	44
1034-Y-3016	30 X 30 X 16"	36.000	34.603"	33.686"	48
1034-Y-3018	30 X 30 X 18"	38.000	35.017"	34.272"	53
1034-Y-3020	30 X 30 X 20"	42.000	36.846"	36.858"	63
1034-Y-3022	30 X 30 X 22"	46.000	38.674"	39.444"	68
1034-Y-302214	30 X 22 X 14"	31.000	29.553"	29.856"	32
1034-Y-302216	30 X 22 X 16"	33.000	29.980"	30.460"	34
1034-Y-302218	30 X 22 X 18"	37.000	31.144"	32.107"	41
1034-Y-302222	30 X 22 X 22"	43.000	34.094"	36.279"	49
1034-Y-3024	30 X 30 X 24"	50.000	40.503"	42.029"	81
1034-Y-302416	30 X 24 X 16"	36.250	32.544"	33.774"	41
1034-Y-302418	30 X 24 X 18"	38.250	32.966"	34.371"	44
1034-Y-302420	30 X 24 X 20"	40.250	33.294"	34.966"	55
1034-Y-302422	30 X 24 X 22"	44.250	35.226"	37.568"	54
1034-Y-302424	30 X 24 X 24"	48.250	37.064"	40.166"	69
1034-Y-3026	30 X 30 X 26"	52.000	40.917"	42.615"	82
1034-Y-302618	30 X 26 X 18"	37.000	33.309"	33.169"	49
1034-Y-302620	30 X 26 X 20"	39.000	33.728"	33.762"	52
1034-Y-302622	30 X 26 X 22"	45.000	36.982"	38.363"	56
1034-Y-302624	30 X 26 X 24"	47.000	37.399"	38.953"	68
1034-Y-302626	30 X 26 X 26"	51.000	39.227"	41.538"	67





## 45° Wye Belled

Part No.	Size	A	B	C	Approx. Wgt (lbs.)
1034-Y-3028	30 x 30 x 28"	52.500	42.115"	41.701"	85
1034-Y-302820	30 x 28 x 20"	39.000	34.834	34.325	54
1034-Y-302822	30 x 28 x 22"	45.000	37.717	38.403	57
1034-Y-302824	30 x 28 x 24"	47.000	38.133	38.990	70
1034-Y-32	32 x 32 x 32"	64.500	48.250"	48.250"	158
1034-Y-3210	32 x 32 x 10"	28.000	32.986"	30.399"	50
1034-Y-3212	32 x 32 x 12"	32.000	34.814"	32.984"	58
1034-Y-3214	32 x 32 x 14"	34.000	34.101"	35.603"	61
1034-Y-3216	32 x 32 x 16"	36.000	36.017"	34.686"	67
1034-Y-3218	32 x 32 x 18"	38.000	36.432"	35.272"	72
1034-Y-3220	32 x 32 x 20"	42.000	38.260"	37.858"	86
1034-Y-3222	32 x 32 x 22"	46.000	40.089"	40.444"	88
1034-Y-322220	32 x 22 x 20"	39.000	32.251"	33.673	62
1034-Y-3224	32 x 32 x 24"	50.000	41.917"	43.029"	107
1034-Y-3226	32 x 32 x 26"	52.000	42.331"	43.615"	104
1034-Y-3228	32 x 32 x 28"	52.500	43.529"	42.701"	108
1034-Y-3230	32 x 32 x 30"	55.750	45.998"	48.787"	118
1034-Y-3410	34 x 34 x 10"	28.000	34.400"	31.399"	52
1034-Y-3412	34 x 34 x 12"	32.000	36.228"	33.984"	60
1034-Y-3414	34 x 34 x 14"	34.000	37.017"	35.101"	64
1034-Y-3416	34 x 34 x 16"	36.000	37.432"	35.686"	70
1034-Y-3418	34 x 34 x 18"	38.000	37.846"	36.272"	75
1034-Y-3420	34 x 34 x 20"	42.000	39.674"	38.858"	89
1034-Y-342020	34 x 20 x 20"	36.250	30.423"	32.806"	59
1034-Y-3422	34 x 34 x 22"	46.000	41.503"	41.444"	92
1034-Y-3424	34 x 34 x 24"	50.000	41.917"	43.029"	111
1034-Y-3426	34 x 34 x 26"	52.000	43.745"	44.615"	107
1034-Y-3428	34 x 34 x 28"	52.500	44.944"	43.701"	112
1034-Y-342818	34 x 28 x 18"	35.000	33.982"	33.121	53
1034-Y-3430	34 x 34 x 30"	60.000	47.402"	49.787"	128
1034-Y-3432	34 x 34 x 32"	62.000	46.404"	50.375"	147
1034-Y-3616	36 x 36 x 16"	36.000	38.802"	36.686"	74
1034-Y-3816	38 x 38 x 16"	36.000	40.216"	37.686"	77
1034-Y-4016	40 x 40 x 16"	36.000	41.630"	38.686"	78
1034-Y-4212	42 x 42 x 12"	32.000	47.542"	41.984"	73
1034-Y-4216	42 x 42 x 16"	36.000	43.044"	39.686"	85





# HARRISON

## Harrison Machine and Plastic Corporation



11614 ST RT 88 • GARRETTSVILLE, OH 44231  
(330) 527-5641 • WWW.HARRISONPLASTIC.COM

**Note: The dimensions shown in this catalog are essentially shown as "Center to End" dimensions, which apply to both belled end as well as plain end fittings. To determine "take-out" dimensions for belled end fittings, refer to the bell depths to make appropriate calculations. Dimensions are for reference only and subject to change without notice. If specific dimensions are required consult factory.**

**\*\*Please consult our sales department for items not shown**

### Bell Dimensions

Size	Socket Depth
2"	1.50"
3"	1.75"
4"	2.00"
5"	2.00"
6"	2.00"
7"	2.25"
8"	2.25"
9"	2.25"
10"	2.50"
11"	2.50"
12"	2.50"
14"	2.50"
16"	2.50"
18"	2.50"
20"	3.00"
22"	2.25"
24"	3.00"
24"	2.25"
26"	2.25"
28"	2.25"
30"	2.25"
32"	2.25"
34"	2.25"
36"	2.25"
38"	2.25"
40"	2.25"
42"	2.25"
44"	2.25"
46"	2.25"
48"	2.25"
50"	2.25"
52"	2.25"
60"	2.25"